

Super Running Coin

WHITE-PAPER

www.superrunningcoin.com
All Right Reserved



Table of content o 1. Executive Summary 2. Company 3. Introduction 0 3.1 Hive: Composed of Blockchain and DAG systems $3_{\bigcirc}2$ GIga Conversion model 3.3 Hierarchy: DAO Governance 3.4 Hard: Quantum Resistance 3.5 Handy: Limited Blockchain with Unlimited Transaction 3.6 Haven: Limited Token Supply 4. Development 4.1 Business Mode 4.2 SRC Wallet 4.3 SRC Roadmap 5.Project Risk and Risk Management 5.1 Regulatory risk 5.2 Market risk 5.3 Technical risk 5.4 Financial risk 6.Disclaimer



1. Executive Summary

SRC Token is the cryptocurrency of a distributed ledger which links
block-based and blockless blockchain systems

The UTXO-based blockchain system (e.g. Bitcoin [1]) and account-based blockchain system (e.g. Ethereum [2]) has opened the door of a brand-new world for us. Although the impressive success of Bitcoin and Ethereum has certainly proven the value of blockchain technology and its massive potential in the future, we also see some inherent problems in blockchain technology along the way. Since 2015, there have been quite a few highly-promising distributed ledger systems that are not block-based gradually coming into our view, such as DAG (Directed Acyclic Graph) [3]. With no doubt, a decentralized digital world is dawning, and Bitcoin or Ethereum has the potential to become the base currency in a block-based distributed ledger. Nevertheless, despite the ability to be traded unrestrictedly on some centralized exchange platforms, these tokens, due to the fundamental di erences in the underlying systems, can only circulate within their own blockchains, and would not be able to move freely from blockchain-based to blockless system or vice versa.

Our intention is to create a new decentralized and distributed ledger system that will bridge the gap between blockchain-based or blockless systems, thereby allowing value and information to be circulated freely between different blockchains. In addition, just as Bitcoin serves as the tools of exchange for goods or services in blockchain-based system, we also need a type of asset in the newly invented system that can reflect the value of goods or services objectively. As to the new store of value, we call it "SRC Token"

2. Company

THE SUPER RUNNING COIN COMMUNITY

The Super Running Coin community is a Blockchain solution providing company, transforming clients' business, operating and technology models for the digital era. Our unique industry-based, consultative approach on Blockchain technology helps clients envision, build and run more innovative and efficient businesses. Headquartered in the U.K.

Super Running Coin Team is expertise in providing Customized blockchain solutions for your business needs. There are 50+ Mainstream clients being served and maintained from 2 years.

Output

Description:

Services

- Blockchain Frameworks
- Blockchain Banking
- Blockchain Enterprising
- Blockchain Cryptocurrency
- Blockchain Hospitality
- Blockchain Security

Super Running Coin Pvt Ltd procures a good infrastructure and team of Blockchain and business A great combination of technology and business.



3. Introduction

1

In our vision, SRC will create a new platform that can be connected to di erent blockchains (such as Bitcoin blockchain and Ethereum blockchain), thereby allowing value and information to circulate freely among systems, and redefining the value of blockchain



Below is a schematic diagram of the SRC platform.

3.1 Hive: Composed of Blockchain and DAG systems

SRC platform is designed to be the sidechain for both blockchain-based and blockless systems, so it can achieve a free flow of value and information between the two. Here, SRC is the medium for cross-platform value exchange, while the platform itself is a carrier for cross-platform information interflow.

Based on these design features, SRC has taken into account the reading of information from blockchain-based (including UTXO and Account Based) and DAG based distributed ledger at the initial stage of system design.

Address system


In order to implement another important feature that will be discussed later, SRC is designed purposely to have both public and private addresses to be compatible with third party address. Therefore, in the near future, it is expected that people can directly send and receive SRC tokens from blockchain to the DAG system.




About Directed Acyclic Graph

1

Directed acyclic graph (DAG) is a finite directed graph with no directed cycles. That is, it consists of finitely many vertices and edges, with each edge directed from one vertex to another, such that there is no way to start at any vertex v and follow a consistently-directed sequence of edges that eventually loops back to v again. Since the path from a starting vertex to an ending vertex in a directed graph might not form a cycle, a DAG is not necessarily a tree, but any directed tree is a DAG




Compared to a directed tree, DAG is a special but more general directed graph. Below is a simple illustration of a directed tree, DAG and directed graph. In the Big Data industry, DAG is usually used for Big Data frameworks, such as the execution engine of Hadoop, Storm, and Stark




The following graph shows the operating architecture of Spark:



There is a dependent relationship between each RDD object, which forms a DAG. The DAG scheduler will split the graph into multiple "Stages". The rules for partition are simple: scanning through from back to front, whenever the DAG scheduler encounters a narrow dependence, it will be added into the current Stage, whereas a wide dependence needs to be shufed. After completing the division of stages, DAG scheduler will generate a Task based on each stage and submit the TaskSet to TaskScheduler. The TaskScheduler is responsible for the scheduling of specific tasks and execution of tasks on worker nodes.




Recently, with the development of blockchain technology, there are some emerging blockchain systems that used DAG in the underlying data structure, such as IOTA [4]. IOTA's core data structure, called 'Tangle', is a DAG that designed to resolve existing issues in the "Internet of Things" (IoT) industry, such as massive data storage and distributed computing, as well as providing a good solution for the micropayment in the IOT industry.



Traditional blockchains (such as Bitcoin and Ethereum) are using the binary tree data structure such as the Merkle tree:





SRC Token team attempts to establish a channel between the systems that are based on two completely dierent data structures so that it can be compatible with current mainstream blockchain technical standards at the bottom level while allowing new blockchain technologies to be able to communicate with current blockchain systems. Although the challenge is undoubtedly great, SRC's technology development team consists of renowned cryptographers from the world's famous academic institution as well as experts from blockchain, Big Data, and Cloud Computing industry. Therefore, we are confident that with the support of all these experts, the team will overcome the obstacles and meet the original design goals of the system

3.2 GCM Technology (Giga Conversion Module) for Auto creation of Nodes.

This is an Inbuilt and custom made technology by the SRC Team, this works as Auto-Multiplier or forger of SRC tokens when stored in a Wallet. The GCM nodes interact with nodes in another wallet automatically and Generate new Internal Nodes which eventually generate new SRC tokens. This is an equation of Time and Hardware modules to electrify or run the software by itself to multiply.

3.3 Hierarchy: DAO Governance

The Decentralized Autonomous Organization (DAO) is unexpected, yet the ideal product of the cryptography technological revolution. The root of the Decentralized Autonomous Corporation (DAC) can be traced back to the decentralized organization described by Ori Brafman in "Starfish and Spider" (2007) [11], and "peer production" described by Yochai Benkler in "Web Fortune" (2006) [12]. However, these two concepts are later linked together by cryptocurrency-related technology and gradually entered into cryptocurrency lexicon. In October 2013, Dan Larimer first put forward the idea of Decentralized



Autonomous Corporation (DAC), where he considered Bitcoin as a DAC also.

About DAC

In order to provide a clear definition of DAC, we have summarized the seven features that are necessary to a DAC: Openness: The design of DAC system is made with a priority for transparency. The principle of openness and transparency is the cornerstone of the entire DAC system. An organization that operates behind closed doors cannot be considered as a DAC. Nowadays, the spirit of open source software has become a typical example of openness.

Decentralization: No centralized individuals or organizations can control the entire DAC. This feature determines self-similarity. The decentralized characteristic of the system ensures the vitality of the DAC system and protects people from corruption and abuse of authority,

Autonomy: Everyone can participate in the DAC system. All participants are either subsidiary or sub-unit of DAC system, which will promote the development of DAC from their own point of view. The spontaneous behavior of the participants guarantees the operation of the DAC.

Value: A DAC system must have to use value and can be put into practical application. For example, several features of the bitcoin system, such as international payment networks, anonymous transactions, tax avoidance, and value storage, have determined the profitability of the Bitcoin DAC system and contributed to improving the value and utility of the coin for coin-holders.

Profitability: DAC participants will receive rewards for contributing to DAC system development, and profitability is determined by the value of the DAC itself.

Self-similarity: Even there are only a few DAC nodes exist, the DAC system can still function and develop normally. The destruction of some unit nodes will not a ect the development of DAC, which is guaranteed by the decentralization property.

Democracy: Changes in the core protocol of the DAC system require voting from vast majority of units, and the decentralization and autonomy feature have determined that the DAC must be a system capable of democratic voting.human participation," just as Stan Larimer said. However, this kind of autonomous organization in the ideal state can also lead to serious consequences if there is no strict control during the system design stage. [13].

For example, in June 2016, the DAO, the largest crowdfunding project in the history of Ethereum blockchain, raised more than \$150 million USD worth of ETH. Nevertheless, due to the loopholes in code, the organization was attacked by hackers and lost more than 3.6 million ETH, which worth more \$60 million USD at that time. Consequently, the ETH community split with the announcement of new security protocols, resulting in the coexistence of two blockchains: ETC and ETH

In the SRC system, 5% of the coins will be sent to a DAO, and all SRC holders can determine the use of funds through a real-time dynamic voting system, for example, the development of wallets and other infrastructures, or carrying out marketing campaign and other public relations activities. The DAO is the driving force behind the future advancement of SRC community and provides the community with an unfailing supply of vitality. At the same time, the code for SRC DAO will go through rigorous audits and



adds necessary human intervention at the initial stage (SRCfoundation would invite a third party to conduct security audits on the code). This is to protect the DAO from making significant errors in the utilization of funds at an early stage.

3.4 Hard: Quantum Resistance

Currently, within the blockchain systems represented by Blockchain, SHA-256 hash calculations and ECDSA elliptic curve cryptography serves as the most basic security protection along with the Bitcoin network. However, with the advancement of quantum computer technology, especially within Shaw's algorithm (a typical representative of the quantum algorithm), related operations can be achieved from the index level to the polynomial level in theory. Problems that are discult for a classical computer in the foreseeable future can certainly be solved by practical quantum computers.

Post-quantum cryptography, also known as quantum-resistant cryptography, is able to resist the attacks by quantum computers. The development of such encryption technology takes a more traditional path, based on dicult problems in specific mathematics fields. Through researching and developing algorithms, the post-quantum secure encryption technology can be applied in the network, and to provide the highest level of data security.

The application of post-quantum cryptography does not rely on any quantum theory phenomenon, but its computational security can defend against any form of quantum attack that is currently known. In 1997, IBM researchers proposed an encryption scheme called Learning With Errors (LWE)[14][15], which means to learn with an error. As it takes a long time to find the nearest lattice, it can resist attacks from the quantum computer.

Ring-LWE-based public key encryption scheme: Related parameter selection and operation rules.

Private Key Generation

$$f(x) \cdot g(x) = \sum_{k=0}^{n-1} \left(\sum_{i+j=k \, (modn)} f_i g_j \right) x^k$$

In this scheme, the encryption public key is h(x), the decryption private key is f(x) and f(x). The selection method is as follows:

$$f(x) \cdot g(x) = 0 \mod g f(x) \cdot fg(x) = 1 \mod g h(x) = fg(x) + 1$$

The public key is (h(x)g(x)), and the private key is (f(x)fp(x)).

Encryption process

In the scheme, the random error polynomial is introduced when encrypting, e(x), is a Gaussian distribution



with the parameter -, and the plaintext is converted to the polynomial m(x). The ciphertext is: $c(x) = h(x) \cdot m(x) + g(x) \cdot e(x)$

Decryption process

The received ciphertext is c(x), and the steps for decrypting the ciphertext using the private key f(x) and f(x) are as follows:

```
(x) = f(x) \cdot c(x)
= f(x) \cdot h(x) \cdot m(x) + f(x) \cdot g(x) \cdot e(x)
= [f(x) \cdot fq(x) + f(x)] \cdot m(x) + f(x) \cdot g(x) \cdot e(x) \mod q(1)
= f(x) \cdot m(x)
fp(x) \cdot a(x) = fp(x) \cdot f(x) \cdot m(x) \mod p
= m(x)(2)
```

In the decryption process of steps (1) and (2), there may be a decryption failure. When the coecient of step (1) is not in the interval (- q2, q 2) or Step (2) coecient is not in the interval (- p2, p2), there will be decryption failure. But as long as the selection of the appropriate parameters, the possibility of decryption failure is still very small. We also can use the algorithm similar to NTRU to avoid decryption failure.

SRC will develop a Ring-LWE key exchange protocol that works with OpenSSL to achieve post-quantum secure in the blockchain.

3.5 . Handy: Limited Blockchain with Unlimited Transaction

The DAG technology itself is not based on blocks. Therefore, it is not subject to the constraints of block validation time (for example, the validation time for Bitcoin and Ethereum is 10 minutes and 15 seconds, respectively). Due to the need to take into consideration the interaction between SRC and DAG-based blockchain system, the system has incorporated some of the advantages and strengths of DAG in its design. Thus, the validation time for transactions in the SRC system is almost instantaneous. Also, as DAG is not based on blocks, there is no so-called block size limit in DAG. In theory, the amount of transactions that can be accommodated per unit time is fairly large (HTPS, Hyper Transaction Per Second). At the same time, SRC needs to account for interaction with block-based blockchain systems. Consequently, it is possible for SRC to realize a mass number of transactions per unit time under a limited block volume, thereby truly fulfilling the function of "Super Running Coin Token".

3.6 . Limited Token Supply


The total supply of SRC is fixed. About 100 millions of tokens will be created and will be distributed through the Mobile wallet.

10,00,00,000 Total Supply

1,5 million (6%) is for airdrop & Bounty
20 million (40 %) is for Initial Distribution
5 million (20 %) is for Team reserve
2.65 million (14 %) Set to generate in Giga conversion model
5 million (20%) Promotion and Development



The SRC token supply at Initial distribution in distributed for the Giga conversion module to run the algorithms to multiply (Auto Generate) . \bigcirc 4



This technology is so strong that 53 %(2.5 million) of the tokens will be generated from this Holding.

4. Development4.1 . Business Model

Phase 1: Distribute & Store tokens

To implement proposed SRC code and develop a scalable global currency network it takes and the high volume of nodes and transaction reflection in Hardware devices

The investors will get SRC Token first as a sort of Token holder in a Secure Mobile wallet, which is developed based on the existing mature UTXO model.

The token Holders are made to STORE OR EXCHANGE the tokens from device to Device.

Phase 2: Create Nodes

For better compatibility of Token, a minimum of 3000000000 nodes have to be created inline. The Faster the Nodes creating the Faster the Auto Generation of tokens happens in wallets or the SRC Cloud server (PoW results)

Phase 3: List the SRC token

With a IEO (If required) the SRC token will be set to list on Top Exchange sites

The SRC tokens are visioned to have 54 times more price at the listing phase compared to the Launch

phase



The SRC tokens can be Exchanged with any other Explorer or Ledger applications with no hassles.


SRC Token's open source code can be found under SRC's GitHub page - everyone can read and review the source code and check if the total number of tokens issued is consistent with the number of SRC stipulated in the white paper.

4.2 SRC Wallet

Your funds are stored in hot and cold multi-signature addresses on their original chain, managed by a RPPOM consensus mechanism, and only accessible by you.

- Store Funds securely
- Exchange or Transfer funds to a di erent user and Di erent currency
- Make Utility Payments
- Manage SRC tokens Reports and security.

4.3 SRC Roadmap Ahead



5 . Project Risk and Risk Management

5.1 .Regulatory risk

At present, although some governments, such as Japan, hold a positive attitude towards blockchain technology and cryptocurrency and have established a favorable policy to support the growth of the industry, there are still many uncertainties in the regulatory level due to conflicts between the decentralized nature of public blockchain and the policies of existing centralized governments. Governments adverse to the proliferation of the use of cryptocurrencies in local commerce could issue laws and regulations deeming the use of cryptocurrencies a regulated activity. For example, in recent weeks, countries such as China and Korea have issued regulations or statements prohibiting token sales, while other countries like the U.S. have sought to bring the sale of tokens within the regulator control of



securities o erings. This could result in holders of SRC being unable to use their coins in the future without further regulatory compliance. O4

The management team will use the following ways to manage the regulatory risk:

The team will set up a separate public relations department that will actively communicate with relevant government authorities and industry practitioners, so as to design and carry out its digital asset issuance, trading, blockchain finance, blockchain applications and other business under an existing legal framework.

The operation of SRC project neither involves transactions using fiat money nor interferes with the exchange between SRC and fiat money carried out by third-party exchanges. SRCteam focused only on technology.

5.2 . Market risk

The ultimate goal of SRCis to achieve the free flow of value and information within the blockchain ecosystem. However, since the blockchain industry is still in its infancy stage of development, the project will face a variety of market tests in the future.

The operation team will use the following ways to manage the market risk:

The SRC operation team will attend industry meetings regularly and hold press releases on project progress from time to time to communicate and discuss with relevant developers regarding current market needs and prospects. This can ensure that the project is able to respond to the voices of the community and market.

5.3 . Technical risk

The goal of SRC is to establish a new set of cross-platform technical standards, which is a very discult task in terms of technology development. Therefore, the project puts a high demand on top-notch technical talents and requires extensive research involvement and engagement. If these requirements cannot be satisfied, it will definitely aect the progress of the project and even eventually lead to the failure of the whole project.

The operation team will use the following ways to manage the technical risk:

The operations team will work closely with top domestic and foreign universities and research institutions to build joint laboratories that focus on the development of innovative blockchain technology. The SRC foundation will also regularly allocate funds to support the construction of SRC community and carry out in-depth collaboration with other blockchain and crypto communities, so as to ensure that the technical risks of the project are controllable.

5.4 . Financial risk

Financial risk refers to the significant loss of investment raised through Initial distribution. For example, hackers or other malicious groups or organizations may attempt to interfere with SRC distribution or SRC tokens in a variety of ways, including, but not limited to, malware attacks, denial of service attacks, consensus-based attacks, Sybil attacks, smurfing and spoofing, In addition, the team may not be able to complete the development progress within the schedule because of personal and financial problems and so on.



The operation team will use the following ways to manage 4 financial risk:

1

All the digital currency raised Initial public sale are stored in a multi-signature wallet with cold storage and managed by the directors of SRC Foundation. Using 3/5 multi-signature, the risk of project funds being subject to expropriation and/or theft can be eTMectively reduced.

6. Disclaimer

×

This whitepaper has been prepared by SRC team for the sole purpose of introducing the technical aspects of the SRC and its associated platform and underlying blockchain protocol. This document does not constitute any o er, solicitation, recommendation or invitation for, or in relation to, the securities of any company described herein.

The whitepaper is not an o ering document or prospectus and is not intended to provide the basis of any investment decision or contract. The information presented in this whitepaper is of a technical engineering nature only and has not been subject to an independent audit, verification or analysis by any professional legal, accounting, engineering or financial advisers. The whitepaper does not purport to include information that a buyer of SRCmight require to form any purchase decision, and, in particular, does not comprehensively address risks of the SRC, which are numerous and significant.

SRC(along with its directors, oTMcers, and employees), does not assume any liability or responsibility whatsoever for the accuracy or completeness of the information contained in this whitepaper, or for correcting any errors herein.

The content of this whitepaper is technically challenging and requires a high degree of familiarity with distributed ledger technology in order to comprehend the SRC and its associated engineering risks.

Recipients of this document are encouraged to seek external advice and are solely responsible for making their own assessment of the matters herein, including assessment of risks, and consulting their own technical and professional advisers.



Super Running Coin

WHITE-PAPER 1.0